



INDEX MAPS.

T. 27N, R. 4E. 2nd Mer.



T. 28N, R. 4E. 2nd Mer.



The figures on the lines refer to the page.

333

Township N. 27 North, Range N. 4 East 2. Merid.

Township Lines.
Ch. 20. South Boundary.

Bearings at cor. of T. 26 & 27 N, R. 4 & 5 E,
a Beech 22 in. dia. bears N 55° W 7 1/2 M., dist. 8,
a Spruce 18 " " " N 29 1/2° E 15 " "

West on the S. Boundary of Sec. 36

20.98 a Sugar 16 in. dia.

23.25 Road from Marion to Peru, NW

31.85 a Sugar 28 in. dia.

40.00 sit of sec. part from which

a Beech 24 in. dia. bears N 58° E 20 M., dist. 8,

a Spruce 12 " " " N 68° W 7 " "

45.22 a stream 14 M., wide course NE

58.12 a Beech 22 in. dia.

74.50 a stream 18 M., wide course NW

80.00 sit part cor. of sec. 35 & 36 from which

a Beech 24 in. dia. bears N 34° E 40 M., dist.

Van Elm 20 " " " N 33° W 35 " "

First 1/4 mile broken, last 3/4 mile rolling
T. rate land. Timber Beech, Sugar, Oak,
Walnut, Hickory & No Upr.

West on the S. Boundary of Sec. 35

21.74 a Beech 14 in. dia.

34.00 a stream 8 M., wide course N.

40.00 sit of sec. part from which

a Hickory 24 in. dia. bears N 12° E 17 M., dist. 8,

a Spruce 14 " " " N 52° E 47 " "

43.53 a Beech 18 " "

55.88 a stream 12 M., wide course N.

69.14 a Beech 20 in. dia.

80.00 sit part cor. of sec. 34 & 35 from which

a Beech 36 in. dia. bears N 28° E 23 M., dist. 8,

a cherry 6 " " " N 55° W 15 " "

Land rolling & good 2. rate. Timber Beech,
Oak, Hickory, Ash & Upr. Spruce, young Sugar,

T. 27 N., R. 4 E. 2. Mer. Ind.^a
Ch. Lk.

Ironwood &c. May 27. 1839

West on the S. Boundary of Sec. 34

10.47 a Stream 8 Wks. wide course N.

14.78 a Beech 20 in. dia.

16.01 a Stream 4 Wks. wide course N

40.00 set q. sec. post from which

a Beech 18 in. dia. bears N 2 E 12 Wks. dist. &

a Do 22 " " " N 37 W 64 " "

51.12 a Stream 5 Wks. wide course N.

58.36 a W. Oak 28 in. dia.

77.84 a Stream 12 Wks. wide course N.

80.00 set post cor. of sec. 33 & 34 from which

a Sugar 14 in. dia. bears N 48 W 12 Wks. dist. &

a W. Walnut 12 " " " N 60 E 37 " "

Land rolling good 2nd rate. Timber Beech, Oak,
Sugar, Walnut, Gum &c. Wks. Spice &c.

West on the S. Boundary of Sec. 33

22.98 an Ironwood 5 in. dia.

40.00 set q. sec. post from which

a Beech 36 in. dia. bears N 44 E 10 Wks. dist. &

an Ironwood 12 " " " N 35 W 36 " "

49.28 a Beech 24 " "

66.40 a W. Oak 6 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 20 in. dia. bears N 28 E 60 Wks. dist. &

a Do 22 " " " N 9 W 47 " "

Land hilly 2nd rate, broken by deep ravines.

Timber Beech, Oak &c. Wks. Spice, Ironwood,

Dogwood & young Sugar May 28. 1839

West on the S. Boundary of Sec. 32

12.31 a Buckeye 14 in. dia. Enter Godfrey's field
near his mill, N 80 E, S 80 W

20.07 leave field, N 80 E, S 80 W

T 27 N., R. 4 E. T. Mer. Ind.^u
Ch. No.

- 27.85 Little Pipe Creek 90 Yds. wide course N.
About 15 Chs. below Godfrey's mill.
36.20 a Spring branch 5 Yds. wide course N.
40.00 sit g. sec. port from which
a Buckeye 16 in. dia. bears N 63 E 41 Yds. dist. 8
a Beech 28 " " " N 18 W 62 " "
47.02 a Beech 24 " "
67.84 an Ironwood 9 " "
80.00 sit port cor. of sec. 31 & 32 from which
a Beech 40 in. dia. bears N 43 W 18 Yds. dist. 8
a Do 28 " " " N 45 E 92 " "
Land hilly 2nd rate. Timber Beech, Oak, Sugar &c.

- West on the S. Boundary of Sec. 31
12.88 a Beech 14 in. dia.
40.00 sit g. sec. port from which
a Beech 24 in. dia. bears N 36 E 28 Yds. dist. 8
a Do 36 " " " N 43 W 60 " "
53.13 a Beech 14 " "
65.94 a Do 9 " "
69.95 sit port cor. of T. 26 & 27 N., R. 3 & 4 E. from
which a Beech 30 in. dia. bears N 44 E 44 Yds. dist.
a Do 12 " " " N 73 W 22 " "
Land level 2nd rate. Timber Beech, Oak,
Ash &c. Upr. Spice, young Sugar &c.

- East Boundary
North on the E. Boundary of Sec. 36
3.40 sit port on left bank of Mississippi River
from which
a Hackberry 24 in. dia. bears N 51 E 5 Yds. dist. 8
a Sugar 12 " " " N 35 W 2 " "
7.00 cross Head of an Island
17.67 sit port on right bank of River from which
an Ash 24 in. dia. bears S 61 E 5 Yds. dist. 8
a W. Oak 9 " " " N 52 W 8 " "

Chas. L. N. P. H. O. L. Mer. Ind.^a

31.97 set post on right bank of Mississinewa River from which

a B. Hawth 5 in. dia. bears S46 E 8 W. dist. 8

an Elm 6 " " " S51 1/2 W 21 " "

41.30 set post on left bank of River from which

a Lycamore 8 in. dia. bears N40 W 72 W. dist. 8

an Elm 36 " " " S46 W 30 " "

Upper end of old Indian Village

77.46 set post on left bank of Mississinewa River, at

the lower end of Indian Village, from which

an Elm 6 in. dia. bears N81 W 13 W. dist. 8

a Hackberry 18 " " " S84 E 63 " "

80.00 sec. cor. in the River inaccessible.

Land all River bottom & T. rate.

North on the E. Boundary of Sec. 25 From cor. in River

1.23 set post on right bank of Mississinewa River from which

an Ash 6 in. dia. bears N47 W 3 W. dist. 8

an Elm 16 " " " N73 W 35 " "

11.00 a Buckeye 18 " "

40.00 set of sec. post from which

a Walnut 8 in. dia. bears N84 W 26 W. dist. 8

a Do 8 " " " S39 W 39 " "

55.43 a Hackberry 8 " "

61.03 set post on left bank of Wabash River, corner of River N47 W, from which

a Hackberry 14 in. dia. bears S56 E 20 W. dist. 8

a Do 20 " " " S54 W 41 " "

Land first rate Bottom. May 25. 1839

The corresponding corner on the right bank bears N20 E 5.03 Chs. May 25. 1839

Chauncy Carter, Dep. Surv.

South on the E. Boundary of Sec. 1, Var. E. 06. E.

20.55 a Beech 24 in. dia.

Copy

337

T. 27 N., R. 4 E. 2. Mer. Ind. a

Chs. 100.

27.72 a Sugar 24 in. dia.

31.20 a Beech 20 " "

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 30° W 33 1/2 Ms. dist. 8

a Do 24 " " " N 70° W 41 " "

50.50 a W. Elm 28 " "

59.67 a Do 30 " "

80.00 set post cor. of sec. 1 & 12 from which

a Poplar 28 in. dia. bears N 9° W 55 1/2 Ms. dist. 8

a Beech 12 " " " S 83° W 28 " "

Level State land. Timber Beech, Sugar, Elm,
Ash & Upr. Spice &c.

South on the E. Boundary of Sec. 12

10.59 a Beech 20 in. dia.

15.62 a gray Ash 36 in. dia.

40.00 set of sec. post from which

a B. Ash 16 in. dia. bears N 72° W 25 1/2 Ms. dist. 8

a Do 26 " " " S 63° W 19 " "

54.78 a W. Elm 48 " "

70.14 a Sugar 28 " "

75.50 an Indian trace, NE

80.00 a Beech 12 in. dia. corner tree for Sec. 12 & 13

Gently rolling State land. Timber Beech,
Sugar, Ash, Elm & Upr. Spice, P. Ash &c.

South on the E. Boundary of Sec. 13

16.66 a Sugar 20 in. dia.

27.42 a gray Ash 38 in. dia.

31.94 a Sugar 30 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 61° W 51 1/2 Ms. dist. 8

a Do 26 " " " S 56° W 54 " "

57.53 a Beech 24 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 17 in. dia. bears S 75° W 36 1/2 Ms. dist. 8

T. 27 N., R. 4 E. 2. Mer. Ind.^a
 Chs. 1st.

a Beech 7 in. dia. bears N 17° W 45 Vrs. dist.
 Broken State land. Timber Beech, Sugar, Ash
 Elm, Lym, Oak & Upr. Spice &c.

South on the E. Boundary of Sec. 24

35.20 a Hackberry 30 in. dia.

40.00 set q. sec. post from which

a Buckeye 24 in. dia. bears N 72° W 28 Vrs. dist. &

a B. Walnut 28 " " " S 34° W 18 " "

44.25 over Canal 75 Vrs. wide E & W

51.50 pass N. side of field.

56.25 pass S. " " Do

62.97 a Buckeye 16 in. dia.

70.95 an Elm 30 " "

78.24 a Do 24 " "

80.00 set post cor. of sec. 24 & 25 from which

an Elm 20 in. dia. bears N 66° W 36 Vrs. dist. &

a N. Walnut 8 " " " S 21° W 14 " "

First 1/4 mile broken State land, last 3/4 mile level
 rich Bottom. Timber Beech, Sugar, Elm, Ash,
 Buckeye, Walnut & Upr. Spice, Pawpaw &c.

South in the E. Boundary of Sec. 25

4.20 pass Road to Fort Wayne, E.

7.30 set post on right bank of Wabash R. from which

a Hickory 9 in. dia. bears S 83° E 10 Vrs. dist. &

a Hornbeam 7 " " " N 10° W 9 " "

Land rich bottom, T. State land. Timber Elm,
 Buckeye, Sugar, Ash & Upr. Spice, Pawpaw,
 Prickly Ash &c. December 31. 1838

North Boundary. Random line. Var. 5. 16 E.

East on S. Boundary of Sec. 34, T 28 N., R 4 E.

From corner in S. Boundary of Sec. 34, in West

Boundary of Purchase

8.12 set temp. q. sec. post

T. 27 N., R. 4 E. 2^d Mer. Indⁿ
Ch^r. 1st.

48.12 sit temp. post for cor. of Sec. 34 & 35
 Land rolling 2^d rate. Timber Beech, Sugar,
 Ash, Walnut & Upr. Spice &c

East on S. Boundary of Sec. 35, T28 N, R4 E

15.00 enter Swamp, NE

22.50 leave "

28.50 Road from Peru to Eel River, NE

40.00 sit temp. q. sec. post

56.50 enter Swamp, N & S.

58.50 leave "

80.00 sit temp. post for cor. of sec. 35 & 36

Level 2^d rate land. Timber Ash, Elm, Maple,
 Oak, Beech, Gum &c Upr. Spice, Willow &c

East on the S. Boundary of Sec. 36, T28 N, R4 E

17.70 an Indian trace, N

40.00 sit temp. q. sec. post

80.00 sit temp. post for cor. of T. 27, 28 N, R. 4 & 5 E.

Gently rolling 2^d rate land. Timber Elm, Ash,
 Sugar, Beech, Gum, Oak, Maple &c Upr.
 Spice, Hawth &c

Corrected line.

Bearings for corner of T. 27 & 28 N, R. 4 & 5 E
 a W. Oak 30 in. dia. bears N119W23 Upr. dirt &c

a Beech 19 " " " S84E33 " "

West on the S. Boundary of Sec. 36, T28 N, R4 E.

21.45 a Beech 20 in. dia.

25.84 a Do 18 " "

40.00 sit q. sec. post from which

a Beech 12 in. dia. bears N26E16 Upr. dirt &c

a Do 20 " " " N23W62 " "

41.06 a Beech 30 " "

46.21 a Do 20 " "

80.00 sit post cor. of sec. 35 & 36 from which

T. 27 N., R. 4 E., 2^d Mer. Ind.^a
 Chs. Sk.

a Red Oak 18 in. dia. bears North 22 W. dist. 9
 a double Maple 10 " " " N 69 W 26 " "

West on the S. Boundary of Sec. 35, T 28 N, R 4 E.

1.54 a gray Ash 6 in. dia.

3.17 an Ironwood 8 " "

40.00 set of sec. post from which

a W. Oak 30 in. dia. bears N 69 W 46 W. dist. 8

a Maple 12 " " " N 61 E 20 " "

41.28 a Hickory 8 " "

47.47 a W. Elm 38 " "

80.00 set post cor. of sec. 34 & 35 from which

a Sugar 30 in. dia. bears N 51 W 33 W. dist. 8

a Hickory 4 " " " N 1 E 20 " "

West on the S. Boundary of Sec. 34, T 28 N, R 4 E.

1.17 a W. Elm 22 in. dia.

17.10 a Beech 20 " "

36.00 a W. Elm 28 " "

40.00 set of sec. post from which

a Poplar 14 in. dia. bears N 12 E 14 W. dist. 8

a Do 10 " " " N 48 W 20 " "

41.01 a B. Ash 24 " "

48.12 to post in S. Boundary of Sec. 34, in W. Boundary
 of Purchase. December 27, 1838

Arthur L. C. Vance, Dep. Surv.

East on the S. Boundary of Sec. 31, T 28 N, R 4 E.

17.59 a Buckeye 10 in. dia. Var. 6th 00. E.

30.27 set of sec. post from which

a Buckeye 6 in. dia. bears N 75 W 13 W. dist. 8

a Sugar 7 " " " N 53 E 23 " "

60.85 a Bur Oak 13 " "

66.30 set post on right bank of Del River from which

a Beech 20 in. dia. bears N 55 W 27 W. dist. 8

an Ironwood 3 " " " S 1 E 21 " "

T. 27 N., R. 4 E., 2^d Mer. Ind. a
Ch. Sp.

69.14 set post on left bank of Owl River from which
 an Elm 40 in. dia. bears N10°W33°W. dist. 8.
 a Buckeye 12 " " " N85°E47 " "
 course S E.

70.27 set post cor. of sec. 31 & 32 from which
 an Ironwood 5 in. dia. bears N52°E10°W. dist. 9
 a Hackberry 12 " " " N45°W32 " "

East on the S. Boundary of Sec. 32, T28N, R4E

9.71 a Honey locust 15 in. dia.

25.36 a B. Walnut 27 " "

40.00 set of sec. post from which
 a Buckeye 9 in. dia. bears N88°W33°W. dist. 8.
 a Do 10 " " " N71°E31 " "

61.56 a B. Walnut 24 " "

80.00 set post cor. of sec. 32 & 33 from which
 an Elm 36 in. dia. bears N43°W15°W. dist. 8
 a Buckeye 18 " " " N56°E16 " "

East on the S. Boundary of Sec. 33, T28N, R4E

20.24 a Bur. Oak 16 in. dia.

40.00 set of sec. post from which
 a W. Oak 12 in. dia. bears N66°W18°W. dist. 8.
 a Do 15 " " " N27°E19 " "

59.33 a W. Oak 45 " "

80.00 set post cor. of sec. 33 & 34 from which
 a B. Ash 5 in. dia. bears N79°W20°W. dist. 8
 a Do 5 " " " North 10 " "

East on the S. Boundary of Sec. 34, T28N, R4E

13.70 a stream 21 W. wide course NW

31.88 set post on the West side of Indian Re-
 servation from which

a Beech 10 in. dia. bears S30°W9°W. dist. 8

a B. Ash 16 " " " N70°W13 " "

Land level 2^d rate. Timber Beech, Sugar

T. 27 N., R. 4 E., 2^d Mer. Ind.^e
 Elm. Sp.

and Ark. Ulp. Ironwood & Sugar

West Boundary. Var. 5.55. E.
 South on the E. Boundary of Sec. 1, T. 27 N., R. 3 E.
 20.93 an Elm 36 in. dia.

40.00 set g. sec. part from which

a B. Walnut 10 in. dia. bears N 7° W 12 Wks. dist. 8

a Buckeye 15 " " " S 28° W 23 " "

53.22 an Elm 30 " "

68.71 a Sugar 33 " "

80.00 set part cor. of sec. 1 & 12 from which

an Ironwood 8 in. dia. bears N 10° W 19 Wks. dist. 8

a B. Oak 5 " " " S 60° W 17 " "

South on the E. Boundary of Sec. 12, T. 27 N., R. 3 E.

14.00 set part in right bank of Eel R. from which

a Redbud 9 in. dia. bears S 83° E 14 Wks. dist. 8

a Blue Ark 6 " " " S 81° W 14 " "

18.00 set part on left bank from which

an Ironwood 7 in. dia. bears S 68° E 25 Wks. dist. 8

a Do 5 " " " N 55° W 8 " "

25.65 a Sugar 13 " "

40.00 set g. sec. part from which

a Sugar 5 in. dia. bears N 8° W 26 Wks. dist. 8

a B. Ark 23 " " " S 14° W 23 " "

59.24 a Beech 19 " "

80.00 set part cor. of sec. 12 & 13 from which

a Beech 15 in. dia. bears N 29° W 44 Wks. dist. 8

a Do 24 " " " S 24° W 13 " "

South on the E. Boundary of Sec. 13, T. 27 N., R. 3 E.

23.59 a Beech 14 in. dia.

40.00 set g. sec. part from which

a Sugar 17 in. dia. bears N 64° W 32 Wks. dist. 8

a Beech 10 " " " West 12 " "

64.54 a Beech 16 " "

T. 27 N., R. 4 E. 2. Mer. Ind. a.
Ch. 10.

80.00 set post cor. of sec. 13 & 24 from which
a B. Ark. 20 in. dia. bears N 28° W 41 Yds. dist. 8
a Do 17 " " " S 34° W 20 " "

South on the E. Boundary of Sec. 24, T. 27 N., R. 3 E.

30.40 a B. Oak 23 in. dia.

40.00 set of sec. post from which
a Hickory 24 in. dia. bears N 24° W 52 Yds. dist. 3
a W. Oak 24 " " " S 36° W 30 " "

54.50 enter swampy Prairie

80.00 set post cor. of sec. 24 & 25 in swampy
Prairie & raised a mound.

South on the E. Boundary of Sec. 25, T. 27 N., R. 3 E.

5.45 a Stream 25 Yds. wide course W. & leave
swampy Prairie

22.84 a Beech 19 in. dia.

40.00 set of sec. post from which
a Buckeye 14 in. dia. bears North 22 Yds. dist.
a Hickory 21 " " " West 6 " "

71.57 a Sugar 19 " "

80.00 set post cor. of sec. 25 & 36 from which
an Elm 4 in. dia. bears N 38° W 27 Yds. dist.
a B. Ark. 16 " " " N 86° W 31 " "

South on the E. Boundary of Sec. 36, T. 27 N., R. 3 E.

8.57 set post on right bank of Walnut R. from wh.
a Buckeye 10 in. dia. bears N 6° E 10 Yds. dist. 3

a W. Oak 27 " " " N 38° W 15 " "

Sound 2. rate. Timber. Ark, Sugar & Beech
W. Ironwood & Hickory. October 25. 18.27

David Miller, Dep. Sur.

North on the E. Boundary of Sec. 36, T. 27 N., R. 3 E.

7.15 a Beech 12 in. dia.

24.06 a Do 12 " "

T. 27 N., R. 4 E. 2^d Mer. Ind.^a
Chs. Lk.

30.00 several fine springs rise within 200 Yds. E.
of the line and cross it NW.

40.00 set of sec. post from which
an Elm 18 in. dia. bears N 26° W 41 Yds. dist. &
a Sugar 8 " " " S 31° W 21 " "

50.00 descend to the Wabash bottom

57.06 set post on left bank of Wabash R. from which
a Walnut 20 in. dia. bears N 23° W 10 Yds. dist. &
a Hickory 14 " " " N 67° E 38 " "
First 1/4 mile level, last 1/2 mile broken
2^d rate. Timber Beech, Oak &c.

The corresponding corner on the right bank
of the Wabash River bears N 46° W. 11.14 Chs.
Not certain that I found the true corner on
the right bank. Chauncey Carter
May 30. 1839 Deputy Surveyor.

Subdivision. Var. 5.46. E.

South between Sec. 3 & 4

24.56 an Ironwood 6 in. dia.

38.90 a Branch 4 Yds. wide course NW

40.00 set of sec. post from which
a Beech 18 in. dia. bears S 13° W 18 Yds. dist. &
a Do 16 " " " N 52° E 3 1/2 " "

64.73 a R. Elm 18 " "

66.90 a Branch 3 Yds. wide course NW

80.00 set post cor. of sec. 3, 4, 9 & 10 from which
an Ironwood 3 in. dia. bears N 15° E 11 Yds. dist. &
a Do 4 " " " S 35° W 25 " "

Level 2^d rate land. Timber Oak, Beech, Ash,
Elm, Hickory &c. Ylrs. Ironwood, Hickory,
Spice, Sugar &c.

East between Sec. 3 & 10

8.00 a Branch 3 Yds. wide course NW

15.39 a Poplar 8 in. dia.

T. 27 N., R. 4 E., 2^d Mer. Ind. a
Ch. 2. 101

31.62 Intersect W. Boundary of Indian Reserve,
set post from which
a N. Oak 48 in. dia. bears S 48 1/2 W 27 1/2 Mts. dist. 8
a Dogwood 3 " " " N 46 W 16 " "
Level Private land, Timber Upl. as before

South between Sec. 9 & 10

18.45 a B. Gum 18 in. dia.
18.00 a Swamp, Offset West 1.00
22.00 Reduced offset
26.00 cut W. end of Swamp
40.00 set of sec. post from which
a Beech 28 in. dia. bears N 25 E 10 Mts. dist. 8
a Hickory 4 " " " N 89 W 17 " "
47.50 a Branch 5 Mts. wide course WSW
59.92 a Poplar 24 in. dia.
78.60 a Branch 4 Mts. wide course SW
80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a Gray Ash 24 in. dia. bears S 26 E 27 1/2 Mts. dist. 8
a Sugar 16 " " " N 36 W 23 " "
Level Private land, Timber Beech, Oak,
Poplar, Ash, Elm & Upl. Spice, Ash, Hick-
ory, Ironwood &c.

East between Sec. 10 & 15

15.75 a Branch 4 Mts. wide course SW
21.00 a Do 3 " " " SW
25.14 a Sugar 16 in. dia.
31.75 Intersect W. Boundary of Indian Reserve,
set post from which
a Beech 14 in. dia. bears N 71 1/2 W 13 Mts. dist. 8
a Do 20 " " " S 77 W 40 " "
Level Private land, Timber Beech, Ash,
Poplar, Oak & Upl. Spice, Ash &c.

South between Sec. 15 & 16

346

T. 27 N., R. 4 E., T. 1 Mer. Ind.^a
Chas. L. H.

- 12.00 a Branch 6 M. wide course S E
 22.95 a Beech 12 in. dia.
 28.50 same Branch course S W
 31.50 cut E. bend of same branch
 37.69 same Stream 15 M. wide course S E
 38.75 Do 15 " " " S W
 39.50 Do 15 " " " S E
 40.00 set g. sec. post from which
 a Water Beech 5 in. dia. bears S 20 E 24 M. dist. 8
 a Beech 16 " " " S 52 W 20 " "
 41.75 the same Stream, S W.
 49.50 Do Do S E
 51.50 Do Do S W
 53.50 Do Do S E
 66.18 a Beech 16 in. dia.
 80.00 set post cor. of sect. 15, 16, 21 & 22 from which
 a R. Oak 36 in. dia. bears S 39 W 22 M. dist. 8
 a Sugar 28 " " " N 25 E 46 " "
 Broken 3^d rate land. Timber Beech, Ash, Elm,
 Oak & Upr. Spruce, Hickory, Ironwood &c.

East ~~on~~ ~~Random~~ between Sect. 15 & 22

- 14.96 a Hackberry 18 in. dia.
 19.50 a Stream 20 M. wide course S.
 26.00 enter wet Prairie
 31.71 Intersect W. Boundary of Indian Reserve, set post
 in Prairie from which
 a B. Walnut 20 in. dia. bears West 57 1/2 M. dist. 8
 a Bur Oak 30 " " " N 81 W 500 " "
 Mostly level rich 2^d rate land. Timber Ash,
 Hackberry, Oak & Upr. Pawpaw &c.

South between Sect. 21 & 22

- 18.42 a Bur Oak 10 in. dia. & enter wet Prairie
 40.00 set g. sec. post in Prairie
 80.00 set post cor. of sect. 21, 22, 27 & 28 from which

347

T. D. W., R. H. O. L. Mer. Ind. a.
Chr. L. W.

a Willow 4 in. dia. bears S 39 W 15 Ws. dist. 9
a Do 2 " " " N 27 E 52 " "
Level wet 3. rate land. Timber Bur Oak &c.
Upr. Willow &c.

East between Sec. 22 & 27

12.98 enter timbered land.

31.70 Intersect W. Boundary of Indian Reserve,
36.56 Ch. N. of the NE. corner of J. B. Richard-
ville Reserve, set post from which
a B. Ash 16 in. dia. bears N 23 1/2 W 10 Ws. dist. 8,
an Ironwood 5 " " " S 21 W 32 " "
Level wet 3. rate land. Timber Ash, Oak &c.
Upr. Willow &c.

South between Sec. 27 & 28

7.50 enter timbered land

20.87 a gray Ash 15 in. dia.

30.00 enter Swamp

34.00 leave "

40.00 set g. sec. post from which

a Bur Oak 18 in. dia. bears S 12 E 22 Ws. dist. 8,

a Beech 14 " " " N 42 W 13 " "

46.75 Intersect NW. Boundary of J. B. Richardville's
Reserve 33.46 Ch. NW. from the NE. corner
thereof, set post from which

a W. Elm 20 in. dia. bears S 82 W 20 Ws. dist. 9,

a Do 16 " " " N 25 E 34 " "

Level 2. rate land. Timber Ash, Elm, Sugar,
Beech, Ironwood, Oak &c. Upr. Spice, Ash,
Hazel &c. May 17. 1828

South between Sec. 4 & 5

25.35 a Beech 22 in. dia.

27.00 a Branch 15 Ws. wide course S.

29.00 leave same " SW

T. 27 N., R. 4 E. 2^d Mer. Ind.

Chs. Lk.

40.00 set of sec. post from which
a Sugar 4 in. dia. beam S 19 E 14 W. dist. 3
a Buckeye 14 " " " N 26 W 6 " "

65.13 a Beech 16 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which
a Beech 22 in. dia. beam S 35 E 9 W. dist. 8
a R. Oak 36 " " " N 79 W 43 " "

Part level part rolling rich Drate land.

Timber Ash, Beech, Walnut, Oak, Buckeye, Sugar
H. Upr. Spice, Sugar &c

East on Random between Sec. 4 & 9

34.75 a Branch 10 W. wide course N.

38.50 a Do 4 " " " NW

40.00 set temp. of sec. post

41.00 a Branch 6 W. wide course NW

44.50 same Branch " SW

46.00 Do " NW

46.75 Do " SW

56.50 Do " NW

70.00 a Swamp, Offset North 3.00 Chs.

70.50 on offset, Outlet of Pond 6 W. wide course ^NW.

77.00 reduced Offset

79.24 Intersect N. G. line 6 W. S. of post

Level Drate land. Timber Beech, Ash, Oak,
Hickory, Sugar &c Upr. Spice, Sugar, Hickory &c

West Connected between Sec. 4 & 9

20.26 a Beech 16 in. dia.

39.62 set of sec. post at aver. dist. from which
a Beech 16 in. dia. beam N 79 W 16 W. dist. 8

a Do 22 " " " S 2 W 28 " "

57.59 a Red Elm 20 in. dia.

79.24 to sec. cor.

South between Sec. 8 & 9

T. 27 N., R. 4 E. 2^d Mer. Ind. Co.
Chs. Pl.

- 20.31 a Sugar 18 in. dia.
40.00 set gr. sec. post from which
a Beech 10 in. dia. bears S 39 $\frac{1}{2}$ E 13 W. dist. 8
a Do 8 " " " N 74 W 25 " "
57.80 a Beech 20 " "
80.00 set post cor. of sec. 8, 9, 16 & 17 from which
a W. Oak 20 in. dia. bears S 8 $\frac{1}{2}$ W 25 W. dist. 8
a Beech 16 " " " N 38 E 23 " "
Level 2^d rate land. Timber Beech, Oak, Sugar,
Elm, Ash, Walnut & Upr. Spice, Ash, Hickory &c.

East in Random between Sec. 9 & 16

- 15.00 a Branch 3 Ws. wide course SE
24.00 same " 6 " " " NE
33.00 Do " " " SE
40.00 set temp. gr. sec. post
51.50 same Branch 8 Ws. wide course SSE
53.50 Do 8 " " " NE
55.00 Do 8 " " " SE
76.00 a Branch 3 Ws. wide course SE
77.00 same " 3 " " " S
79.13 Intersect N. & S. line 17 Ws. S. of post—
Land part rolling, part level 2^d rate.
Timber Beech, Oak, Ash, Sugar, Elm & Upr.
Spice, Sugar &c.

West Corrected between Sec. 9 & 16

- 18.53 a Beech 16 in. dia.
39.56 set gr. sec. post at aver. dist. from which
a Beech 18 in. dia. bears N 24 W 7 W. dist. 8
a Do 20 " " " S 25 $\frac{1}{2}$ E 27 " "
58.57 a Beech 20 " "
79.13 to sec. cor.

South between Sec. 16 & 17

- 19.64 a W. Oak 18 in. dia.

T. 27 N., R. 4 E. 2^d Mer. Ind.^a
 Ch. Sp.

28.00 a Pond beam W.
 40.00 set g. sec. post from which
 a Beech 18 in. dia. beam S 71 1/2 E 29 lks. dist. S
 a Do 18 " " " N 9 W 25 " "
 55.50 a Branch 3 lks. wide course S 9 E
 58.50 same Branch " S 9 W
 60.00 a Branch 4 lks. wide course W
 61.23 a Sugar 18 in. dia.
 70.00 a Branch 3 lks. wide course W
 80.00 set post cor. of sec. 16, 17, 20 & 21 from which
 a Beech 22 in. dia. beam S 31 W 20 lks. dist. S
 a W. Oak 20 " " " N 36 E 49 " "
 Mostly level 2^d rate land. Timber Beech,
 Oak, Ash, Hickory & W. Upr. Spice, Redbud,
 Sassafras &c.

Cont in Random between Sec. 16 & 21

40.00 set temp. g. sec. post
 40.50 a Branch 3 lks. wide course E 9 E
 62.50 a Do 5 " " " S
 79.18 Intersect. N & S. line 28 lks. S. of post—
 Part level 2^d rate, part broken 3^d rate land.
 Timber Beech, Oak, Ash, Elm, Hickory &c.
 Upr. Spice, Sassafras &c.

West Connected between Sec. 16 & 21

~~15.90 a W. Oak 28 in. dia.~~
~~25.00 enter wet Prairie~~
~~39.00 enter timbered land~~
~~40.00 set g. sec. post~~
 18.93 a Gum 16 in. dia.
 39.59 set g. sec. post at avr. dist. from which
 a Sugar 18 in. dia. beam S 67 E 41 lks. dist. S
 a Do 22 " " " N 30 W 31 " "
 61.43 a Sugar 20 " "
 79.18 to sec. cor.

T. 27 N., R. 4 E. 2. Mer. Ind. a
Chs. Lk.

South between Sec. 20 & 21

15.90 a W. Oak 28 in. dia.

25.00 enter wet Prairie

39.00 enter timbered land

40.00 set g. sec. post from which

a W. Elm 16 in. dia. bears North 28 W. dist. 2

a B. Ash 24 " " S 29 W 20 " "

57.75 a dead running stream 15 W. wide curve WSW

62.15 a B. Ash 10 in. dia.

73.00 enter wet Prairie

80.00 set post cor. of sec. 20, 21, 28 & 29 in Mound.

Part 2. rate, part level wet 3. rate land.

Timber Oak, Ash, Upl. Willow, Briers &c.

East in Random between Sec. 21 & 28

40.00 set temp. g. sec. post

79.22 Intersect N. S. line 20 W. S. of post—

Level wet 3. rate Prairie land. Upl. Willow &c.

West Connected between Sec. 21 & 28

39.01 set g. sec. post at aver. dist. in Mound in Prairie

79.22 to sec. cor.

South between Sec. 28 & 29

2.00 enter timbered land

25.55 a gray Ash 6 in. dia.

40.00 set g. sec. post from which

a Buckeye 7 in. dia. bears S 30 E 18 W. dist. 2

a Cherry 22 " " N 57 W 28 " "

57.50 an Ironwood 12 in. dia.

72.50 Intersect NW. Boundary of J. B. Richardville

Reserve 23.50 Chs. N. E. of NW. corner thereof,

set post from which

a Buckeye 10 in. dia. bears N 66 W 29 W. dist. 3

a Sugar 6 " " N 65 W 29 " "

Level rich 2. rate land. Timber Beech, Sugar

T. 27 N., R. 4 E. 2^d Mer. Ind.^a
Chs. Cr.

Ash, Elm, Walnut, Locust & Upr. Sugar,
Ash, Hickory, Pawpaw &c.

South between Sec. 5 & 6

- 1.25 set post on left bank of Old River from which
a Bur Oak 20 in. dia. bears N 60° W 30 krs. dist. 8
a Do 5 " " " S 51° E 5 " "
- 6.25 set post on right bank of Old River from which
a Bur Oak 24 in. dia. bears S 18° E 33 krs. dist. 8
a Water Beech 4 " " " N 83° W 22 " "
- 21.10 a Buckeye 22 " "
- 40.00 set q. sec. post from which
a Coffee tree 10 in. dia. bears N 71° E 14 krs. dist. 8
a Hawth 3 " " " S 82° W 18 " "
- 43.88 set post on right bank of Old River from which
a W. Elm 12 in. dia. bears S 78° W 21 krs. dist. 8
a Do 18 " " " N 63° W 13 " "
- 49.18 set post on left bank of Old River from which
a Locust 18 in. dia. bears S 13½° E 26 krs. dist. 8
a Buckeye 16 " " " S 23½° W 24 " "
- 60.00 set post on left bank of Old River from which
a W. Elm 20 in. dia. bears N 42° W 4 krs. dist. 8
(No other Bearing tree)
- 66.50 set post on left bank of Old River from which
a Gum 28 in. dia. bears S 41° W 20 krs. dist. 8
a Do 12 " " " N 27° E 15 " "
- 80.00 set post cor. of Sec. 5, 6, 7 & 8 from which
a Buckeye 6 in. dia. bears S 42½° E 18 krs. dist. 8
a Do 8 " " " West 23 " "
- Level 1st & 2^d rate land. Timber Elm, Bur Oak,
Buckeye, Hackberry, Walnut & Upr. Ash,
Pawpaw &c.

East on Random between Sec. 5 & 8

- 28.10 a dry Branch 4 krs. wide course NW
40.00 set temp. q. sec. post

T. 27 N., R. 4 E. 2^d Mer. Ind.
Ch. 9th?

54.25 a Branch 3 M^s. wide course N
80.09 Intersect N. G. line 18 M^s. S. of port —
First half mile level 1st rate land, last half
mile rolling 2^d rate land. Timber Walnut,
Elm, Beech, Oak, Ash, Sugar &c. W^h. Spice,
Ash, Buckeye, Sugar &c.

West Connected between Sec. 5 & 8

20.20 a Beech 14 in. dia.

40.04 set g. sec. port at area. dirt. from which
a W. Oak 20 in. dia. bears S 77 $\frac{1}{2}$ E 17 M^s. dirt. S,
a Beech 20 " " " N 63 $\frac{1}{2}$ W 45 " "

62.40 a B. Walnut 48 in. dia.

80.09 to sec. cor.

West between Sec. 6 & 7

1.00 a Branch 10 M^s. wide course NN

13.74 a Walnut 20 in. dia.

17.00 a Branch 15 M^s. wide course NN.
Cold Springs hear SE

19.50 cut a N. bend of the same stream

22.63 set port on left bank of Cel River from which
an Ironwood 14 in. dia. bears S 15 E 25 M^s. dirt. S,
a Water Beech 6 " " " N 80 E 28 " "

28.63 set port on right bank of Cel R. from which
a Water Beech 5 in. dia. bears N 57 $\frac{1}{2}$ W 17 M^s. dirt. S,
a Syc. 6 " " " S 37 $\frac{1}{2}$ W 41. " "

40.00 set g. sec. port from which
an Ironwood 10 in. dia. bears S 67 $\frac{1}{2}$ W 38 M^s. dirt. S,
a Buckeye 18 " " " N 4 E 15 " "

61.32 a Buckeye 15 " "

71.80 Intersect W. Boundary at port from which
a Hickory 8 in. dia. bears N 60 E 2 M^s. dirt.
Level 1st rate land. Timber Walnut, Elm,
B. Oak, Hackberry, Cherry, Beech, Buckeye
&c. W^h. Ash, Sugar &c.

27 N., R. 4 E. 2. Mer. Ind. a

Ch. Lk.

South between Sec. 7 & 8

O. 90 a Branch 10 Wks. will come NW. After various crossings left the same at 12.00 22.45 at V. Elm 30 in. dia.

22.45 a.m. Elm 30 in. dia.

23.00 a Branch 15 Wks. wide course VVVVV

27.00 a No 15 4 4 3 NE

28.00 cut E. bend of Is

34.50 Dr NW

37.50 Ls NE

38.50 Do NW

440.00 set of sec. port from which

a Water Beech 5 in. diam bears 505 1/2 W 12 W. dist. 8.

a Beech 18, , , N89E 40, ,

42.25 a Branch 5 Wen wide curve NE

114.25 a No 5 s s s NW

60.51 a Sugar 18 in. dia.

80.00 set part cor. of sec. 7, 8, 17 & 18 from which

a Beech 24 in. dia bears 923 1/2 W 17 lbs. dist. 8,

a Sugar 10 " " " N25E24 " "

Sand part level T.th rate, part rolling State.

Timber Beech, Walnut, Elm, Oak, Ash &c.

Wm. Grace, Ark, Pawpaw Co.

East in Pandem. between Sec. 8 & 17

20.60 a Branch 3 1/2 in. wide curve N.

34.50 a Du 3 s s s NW

40. CO Sat g. sec. front temp.

74.00 a Swamp bears N.

80.08 Indented No. 1 line 164 Wks. S. of post-

Level 2^d rate land. Timber Beech, Oak, Ash,

Wickens, Elm St. Wm. Spicer, Ash St.

West Corrected between Secs. 8 & 17

20, 04 a Beech 24 in. dia.

40.04 lat of sec. post at aver. dist. from which

a Hickory 20 in. dia. bears 950 lbs. dnt. &

T. 27 N., R. 4 E., 2^d Mer. Ind.^a
Chs. 1st

a Hickory 22 in. dia. bears N 29 W 23 W. dist.
59.44 a W. Oak 18 " "
80.08 to sec. cor.

West between Sec. 7 & 18

5.00 a Branch 5 W. wide course N.
17.15 a Beech 24 in. dia.
19.00 a Branch 5 W. wide course NNE
23.00 cut N. bend of said Branch
31.50 same Branch course SE
35.00 Do ENE. Outlet of a Pond SW
40.00 set of sec. post from which
a Gray Ash 30 in. dia. bears N 71 W 28 W. dist. 8
a Beech 24 " " " S 46 E 38 " "
58.34 a W. Oak 14 " "
72.00 Intersect W. Boundary 36 W. S. of post —
set post at intersection cor. of sec. 7 & 18 from which
a Hickory 14 in. dia. bears N 66 E 27 W. dist. 8
a Beech 18 " " " S 20 E 4 " "
Level 2^d rate land. Timber Beech, Oak, Ash,
Elm, Hickory, Sugar & W. Spruce, Ash, Sugar &.

South between Sec. 17 & 18

6.00 a Pond 1.00 E & W
12.50 a Branch 3 W. wide course NW
21.23 a Beech 18 in. dia.
40.00 set of sec. post from which
a Beech 20 in. dia. bears S 35 1/2 W 31 W. dist. 8
a Sugar 14 " " " N 61 E 11 " "
42.50 a dead running stream 10 W. wide course
SW. Outlet of Swamp
47.75 the same Branch 6 W. wide course SE
61.22 a Sugar 14 in. dia.
80.00 set post cor. of sec. 17, 18, 19 & 20 from which
a Sugar 16 in. dia. bears S 60 E 20 W. dist. 8
a Walnut 3 " " " N 40 W 20 " "

Ch. Sp? T. 27 N., R. 4 E. 2^d Mer. Ind.^a

First half mile level, last half mile broken
2^d rate land. Timber Beech, Ash, Oak, Sugar,
Elm, Hickory & W. Spr. Spice, Ash, Hickory &

East in Pseudom between Sec. 17 & 20

0.25 a Branch 3 W. wide course SSE
0.00 a Do 6 " " " SW
24.00 a Do 3 " " " SE
33.50 a Do 3 " " " S
40.00 set temp. q. sec. post
43.75 a Branch 8 W. wide course S
57.00 a Do 3 " " " SSE
64.75 a Do 3 " " " ESE
70.00 a Do 6 " " " SSE
80.23 Intersect N. S. line 27 W. N. of post —
Broken 2^d & 3^d rate land: Timber Oak, Ash,
Sugar, Hickory & W. Spr. Spice, Ash, Hickory,
Hazel &

West Corrected between Sec. 17 & 20

19.91 a Beech 22 in. dia.
40.11 a W. Walnut 16 in. dia. q. sec. corner tree.
58.48 a Beech 18 in. dia.
80.23 to sec. cor.

West between Sec. 18 & 19

13.60 a Branch 6 W. wide course SSW
16.50 a Do 4 " " " SSW
21.50 a Buckeye 10 in. dia.
40.00 set q. sec. post from which
a Beech 18 in. dia. bears N 9 W 13 W. dist. 9
a W. Walnut 20 " " " S 41 E 27 " "
44.00 a Branch 15 W. wide course S.
60.07 a Sugar 20 in. dia.
70.00 a Branch 3 W. wide course SE
73.31 Intersect W. Boundary 41 W. N. of post —

T. 27 N., R. 4 E., S. 2 Mer. Ind.^a
Ch. Lk.

set post at intersection cor. of sec. 18 & 19 from which
a Beech 14 in. dia. bears S 74 E 38 Ws. dist. 8

a W. Oak 20 " " " N 43 E 35 " "

Part broken, part rolling 2^d & 3^d rate land. Timber
Beech, Oak, Ash, Sugar, Elm & W. Upr. Spice, Ash,
Hickory &c.

South between Sec. 19 & 20

0.50 a Branch 5 Ws. wide course SW

12.00 a Hackberry 24 in. dia.

13.25 the same stream course SE

15.00 enter wet Prairie

40.00 set of sec. post in Mound

48.00 enter timbered land, a Stream 20 Ws. wide course
West

59.82 a Beech 10 in. dia.

80.00 set post cor. of sec. 19, 20, 29 & 30 from which
a Hawth 8 in. dia. bears S 38 E 35 Ws. dist. 8

a Walnut 6 " " " N 34 W 14 " "

First 60.00 Ch. level wet 2^d rate, balance level
T^h rate land. Timber Oak, Walnut, Elm, Ash,
Hackberry &c. Upr. Spice, Ash, Willow, Briers &c.

East on Random between Sec. 20 & 29

40.00 set temp. of sec. post

80.04 Intersect N. & S. line 17 Ws. E. of post -

Level 1 & 2^d rate land. Timber Oak, Ash, Hackberry,
Buckeye, Elm, Walnut, Cherry &c. Upr. Ash,
Spice, Sugar, Buckeye &c.

West Corrected between Sec. 20 & 29

19.75 a gray Ash 20 in. dia.

40.02 set of sec. post at aver. dist. from which

a W. Oak 20 in. dia. bears N 55 W 15 Ws. dist. 8

a Do 20 " " " S 6 E 18 " "

59.05 a Beech 10 " "

T. 27 N., R. 4 E. 2. Mer. Ind.^a
Chs. Spr.

80.04 to sec. cor.

West between Sec. 19 & 30

16.60 a Buckeye 10 in. dia.

40.00 set gr. sec. post from which

a Sugar 8 in. dia. bears N 55° W 15 Ws. dist. 8,

a Hickory 15 " " " S 31° E 24 " "

51.50 a W. Elm 15 " "

67.00 a Stream 15 Ws. wide course S W

73.16 Intersect W. Boundary 17 Ws. S. of post

set post at intersection cor. of sec. 19 & 30 from which
no Bearings, raised a mound in Prairie.

Level wet 2^d rate land. Timber Oak, Ash, Elm,
Walnut, Sugar, Buckeye, Hackberry & Upr.
Ash, Sugar &c.

South between Sec. 29 & 30

26.72 a Buckeye 22 in. dia.

40.00 set gr. sec. post from which

a Buckeye 5 in. dia. bears N 82° E 15 Ws. dist. 8,

a Ironwood 12 " " " N 74° W 9 " "

60.00 a Red Elm 24 " "

74.50 a Pond 150 Ws. wide E & W

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a W. Elm 24 in. dia. bears N 80° E 22 Ws. dist. 8,

a Ironwood 4 " " " N 52° W 21 " "

Level 1st rate land. Timber Walnut, Elm,
Beech, Buckeye, Locust, Sugar, Oak &c. Upr.
Ash, Spice, Sugar, Ironwood &c.

East between Sec. 29 & 32

1.00 enter Prairie, S E

10.00 enter timbered land

23.58 a Red Oak 14 in. dia., Prairie bears S.

40.00 set gr. sec. post from which

a Hickory 8 in. dia. bears N 27° E 21 Ws. dist. 8

T. 27 N., R. 4 E. 2^d Mer. Ind.^a
Ch^a. Sh^a.

57.69 a R. Oak 16 in. dia. bears S 54° W 5 Mk. dist.
Intersect W. Boundary of J. B. Richardville Sum.
Reserve, 198 Mk. S. of the NW corner thereof,
set post from which
an Ironwood 4 in. dia. bears N 60° W 10 Mk. dist. &
a Sugar 3 " " " S 35½° W 22 " "
Level 2^d rate land. Timber Oak, Hickory, Ash,
Cherry, Walnut & Upr. Sugar, Pawpaw &

West between Sec. 30 & 31

22.39 a Hackberry 18 in. dia.

40.00 set of sec. post from which

a W. Elm 30 in. dia. bears S 25° W 6 Mk. dist. &

a R. Elm 10 " " " N 15° W 23 " "

72.93 Intersect W. Boundary 130 Mk. S. of post -

set post at intersection cor. of sec. 30 & 31 from which

a Blue Ash 16 in. dia. bears S 47° E 44 Mk. dist. &

a Lym 5 " " " N 33° E 36 " "

Level rich 1st rate land. Timber Elm, Sugar,
Walnut, Locust, Hackberry, Buckeye &
Upr. Spice, Ash, Pawpaw &

South between Sec. 31 & 32

21.05 a Buckeye 16 in. dia.

35.21 set post on right bank of Wabash R. from which

a Sugar 5 in. dia. bears N 64° E 30 Mk. dist. &

a W. Oak 13 " " " N 58° W 25 " "

Level 1st rate land. Timber & Upr. same as
last described.

Meanders of Wabash River. Right bank down
stream. Beginning at the SW corner of J. B. Rich-
ardville Sum. Reserve, thence:

Courses Ch ^a . Sh ^a .	Remarks
N 79° W 8.00	In Sec. 32

T. 27 N., R. 4 E. 2^d Mer. Ind^a

Courses Chs. Chs.

Remarks

N 85° W 10.00

S 82° W 15.00

S 74° W 8.50

S 82° W 12.00

S 89° W 9.70 to port in line between Secs. 31 & 32
35.21 Chs. South of Sec. corner.

N 80° W 7.50 In Sec. 31

N 61° W 13.50

N 42° W 4.50

N 37° W 5.00

N 47° W 9.00 } a delightful spring 250 Yds. from River bank

N 64° W 7.50 } at 4.50 Do Do Do

N 74° W 10.00

N 83° W 10.00

S 87° W 5.00

S 87½° W 10.00 to port in W. Boundary.

Meanders of Eel River. Left bank
down stream. Beginning at port in N.
Boundary, thence:S 42° E 1.09 In Sec. 6 - to port in line betw. Secs. 5 & 6
1.25 Chs. South of Sec. corner

S 51° E 4.00 In Sec. 5

S 68° E 4.50

S 49° E 3.50

S 36° E 3.50

S 26° E 3.50

S 15° E 6.00

S 8° E 3.50

S 4° W 3.50

S 18° W 3.50 Head of Island, current on S.E. side

S 25° W 7.00 Foot of Do

S 32° W 3.00

S 49° W 6.50

Adapt

T. 27 N., R. 4 E. 2.^d Mer. Ind.^u

Courses Ch. Ex.

Remarks

S29°W 4.50 at 2.00 Chrs. a Branch 15 Wrs. wide from SE
 S38°W 3.85 to post in line between Secs. 5 & 6
 49.18 Chrs. South of Sec. corner.

S30W 4.00 In Sec. 6

889 5.00

948E 3.54 to post in line between Sec. 5 & 6
00.00 Ch. South from Sec. corner.

S31E 2.50 In Sec. 5

5748 2.50

9319W 2.35 to post in line between Sec. 5 & 6
66.50 Chrs. South of Sec. corner

934 W 3.50 In Sec. 6 - a Brook 10 Mts. wide from SE

S449V 5.00

SY 19V 2.50

N89W 5.00 a Spring branch 5 kts. wide from SE

S74W 4.00

952W 5.00 a spring branch 15 lks. wide from SE

952 W 4.50 to port in line between Secs 6 & 7
22.63 Ch. West of Sec. corner.

S45W 5.00 In Sec. 7 - Beautiful bank, Springs

9649r. 5.00

5604 6.00

968W 3.50

964 W 10.00 at 2.00 Ch. a Spring branch 6 lbs. wide fr. SE

Sept 7.00 at 3.50 a D. 6 s s s 50

872 W 2.50

S639V 2.50

9879V 8.50

N849r 3.81 to post in W. Boundary.

Right bank up stream. Beginning
at foot in W. Boundary, thence:

Ed. B.

T. J. N., R. H. O. P. Mer. Ind.

Courses Ch. & Dist.

Remarks.

East 7.00 In Sec. 7 - at 4.50 Ch. a Spring branch 4 lbs.
 N74E 10.00 wide from NW
 N70E 15.00
 N66E 10.00
 N58E 3.95 to post in line between Sec. 6 & 7
 28.63 Ch. West of Sec. corner

N55E 13.00 In Sec. 6 - at 9.00 Ch. fine Bank springs
 N63E 2.50
 N55E 3.50
 N81E 5.00
 S83E 3.00
 N30E 1.50
 N20E 2.00
 N21W 3.00
 N28W 3.50
 N10W 2.50
 N11E 7.50
 N41E 8.15 to post in line between Sec. 5 & 6
 43.88 Ch. South of Sec. corner

N35E 5.00 In Sec. 5
 N50E 3.50
 N28E 9.50
 N12E 7.00
 N15W 9.50
 N41W 2.00
 N56W 9.16 to post in line between Sec. 5 & 6
 6.25 Ch. South of Sec. cor.

N49W 4.50 In Sec. 6
 N27W 3.50 to post in N. Boundary.
 May 24. 1828

Pursuant to a contract (dated January
 28th 1828) with, and Instructions from

363

T. 27 N., R. 4 E. 2. Mer. Ind.^a

Edward Tiffin, Surveyor General of the United States, I have surveyed and subdivided into sections, fractional Townships N. 27 North, Range N. 4 East of the 2. Principal Meridian, in the State of Indiana; And I certify that the foregoing are the original and correct field notes of the said survey.

Certified this 14th August 1828

Thomas Brown
Deputy Surveyor.

Commenced subdividing on the 27th and completed on the 31st day of December 1838

Chas. Sh. Var. 6th 00'. E.

South between Sec. 2 & 3

10.15 a P. Oak 30 in. dia.

40.00 set of sec. post from which

a Bur Oak 22 in. dia. bears N 53 E 25 Ws. dist. 8

a Do 22 " " " S 64 W 17 " "

46.58 a double Red Oak 40 in. dia.

57.03 a W. Elm 36 in. dia.

58.00 Road from Peru to Eel River, NE

70.00 a Red Oak 36 in. dia.

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Sycamore 12 in. dia. bears N 18 W 24 Ws. dist. 8

a Bur Oak 8 " " " S 54 E 10 " "

Level 2nd rate land. Timber Oak, Ash, Elm,
Beech, Lym & W. Spr. Spice, Hawth.

West on Random between Sec. 3 & 10

10.40 Road from Peru, NE

11.50 enter Pond, N

14.50 leave "

48.12 Intersect old W. Boundary 40 Ws. N. of post -
Land &c. same as last described.

T. 27 N., R. 4 E., T. 2 Mer. Ind. a

Chr. 201

N 89.27 E. Corrected between Sec. 3 & 10

2.50 a W. Oak 30 in. dia.

8.12 set g. sec. part from which

a Beech 20 in. dia. bears N 31 W 40 W. dist. 8,

a W. Oak 9 " " " S 58 E 44 " "

10.52 a Hickory 6 " "

20.80 a Beech 23 " "

48.12 to sec. cor.

South between Sec. 10 & 11

4.80 a Beech 18 in. dia.

15.75 a Do 9 " "

22.06 a Do 24 " "

23.30 a Bur Oak 24 in. dia.

24.30 a Do 40 " "

40.00 set g. sec. part from which

an Ironwood 7 in. dia. bears S 38 W 24 W. dist. 8

a Do 8 " " " N 42 E 23 " "

40.00 a Poplar 40 " "

67.17 a Do 12 " "

75.50 over dry Branch 10 W. wide course N E

80.00 set part cor. of sec. 10, 11, 14 & 15 from which

a Beech 20 in. dia. bears N 43 E 8 W. dist. 8

a Lym 3 " " " N 89 W 16 " "

Rolling 2. rate land. Timber Beech, Ash,
Sugar, Oaks, Elm & W. Spruce &c.

West on Random between Sec. 10 & 15

27.00 enter Sugar camp

40.00 leave Do

49.80 Intersect old W. Boundary 12 W. S. of part -

Gently rising 2. rate land. Timber Sugar,
Ash, Beech, W. Spruce &c.

East Corrected between Sec. 10 & 15

0.24 a W. Elm 24 in. dia.

T. 27 N., R. 4 E. 2^d Mer. Ind. a.

Chas. F. K.

g. 80 set of sec. prot from which
a Sugar 30 in. dia. bears 954 @ 28 lbs. dist. 9.
a No 31 " " " N 35 W 58 " "

16.90 a Sugar 10 4 5

25.75 at St. Elmo 24 5

49.80 to sec. cor.

South between Sec. 14 & 15

5.00 a Beech 8 in. dia.

22.58 W. Oak 34 s s

40.00 Oct. of. sec. part from which
a Sugar Pine dis. bears S 89 W 27 N. dist. 2
W. Walnut 6 " " N 79 E 43 " "

40.00 over dry Creek 10 Ms. wide course SW

48.30 a W. Oak 50 in. dia.

53.30 enter Creek 14 hrs. wide course SE

59.00 leave " cruise SW

66.50 pass N. side of field & enter Prairie, W

80.00 Set port con. of sec. 14, 15, 22 & 23 and raised mound in Prairie, pit 4 W. South.

Broken Slate land & dry Prairie, Timber

Beech, Oak, Ash & Upr. Spruce &c

Herdsgrafs in Prairie

West on Random between Sec. 15 & 22

11.30 over dry creek 10 Mr. wide course SW

18.50 leave SW. side of field

43.10 enter E. side of field

51.27 Intersect old W. Boundary Olds. S. of fort -
Part dry & part wet Prairie, but hard frozen.

Cart Corrected between Sec. 15 & 22

11.27 set g. sec. post in Prairie, impracticable
to raise mound

51.27 to Sec. Cor. December 27, 1838

T 27 N., R. 4 E. 2. Mer. Ind. a
Chr. Spr.

South between Sec. 22 & 23

10.20 over S. side of field

17.00 enter Swamp, SW

27.07 a Bur Oak 36 in. dia.

33.00 over Creek 10 Ws. wide course E. & leave Swamp

40.00 set of. sec. post from which

a W. Elm 40 in. dia. bears N 15 E 18 Ws. dist. 3

a Ironwood 8 " " " S 15 E 28 " "

48.25 a W. Elm 10 " "

52.44 Intersect N. Boundary of F. Godfrey's grant
N. 12, set post from which

a W. Elm 4 in. dia. bears N 75 E 13 Ws. dist. 3

a R. Elm 10 " " " N 15 W 7 " "

Measured along said line East 27.00 Cps.
to the N.E. corner of said grant.)

Land level Prained & rich bottom. Timber
Elm, Ash, Buckeye, Oak & Spice, Willow &c.

South betw. Sec. 1 & 2

7.70 an Oak 30 in. dia.

13.70 an Indian trace, NE

17.70 a Beech 24 in. dia.

28.70 a W. Oak 30 " "

36.00 a W. Elm 20 " "

40.00 set of. sec. post from which

a B. Ash 22 in. dia. bears S 67 W 25 Ws. dist. 3

a Do 4 " " " N 67 W 25 " "

53.05 a Beech 14 " "

69.08 a W. Oak 16 " "

80.00 set post cor. of sec. 1, 2, 1 & 12 from which

a Sugar 20 in. dia. bears N 32 E 7 Ws. dist. 3

a Beech 9 " " " S 34 W 23 " "

Level 2nd rate land. Timber Beech, Oak,
Sugar &c. Wgs. Spice &c.

West on Random between Sec. 2 & 11

T. 27 N., R. 4 E., 2^d Mer. Ind.^a
Chas. G. K.

04.50 an Indian trace, NE
80.66 Intersect N. & S. line 104 W. S. of post -
Land &c. same as last described.

89.16 E. Connected between Sec. 2 & 11

2.09 a Willow 10 in. dia.
23.56 an Oak 26 " "
40.33 set of sec. post at aver. dist. from which
a Beech 20 in. dia. bears S 48 E 16 W. dist. 8
a Do 12 " " " N 68 W 18 " "
46.30 a Beech 20 " "
63.13 a Hickory 24 " "
80.66 to sec. cor.

South between Sec. 11 & 12

0.95 a Beech 20 in. dia.
18.05 a Sugar 7 " "
21.64 a W. Elm 36 " "
36.28 a Sugar 24 " "
40.00 set of sec. post from which
a Beech 9 in. dia. bears N 74 E 27 W. dist. 8
a Do 8 " " " S 74 W 20 " "
54.03 a Beech 24 " "
61.92 a Do 20 " "
70.80 enter field N. side
79.00 leave Do S. side
80.00 set post cor. of sec. 11, 12, 13 & 14 from which
a Gray Ash 20 in. dia. bears S 45 W 8 W. dist. 8
a Beech 2 " " " N 72 E 22 " "
Gently rolling 2^d rate land. Timber
Beech, Sugar, Elm, Ash &c. Spice &c.

West on Random between Sec. 11 & 14

15.50 an Indian trace, NW
65.90 over dry creek 10 W. wide course SE
80.50 Intersect N. & S. line 90 W. S. of post -

T. 27 N., R. 4 E., T. Mer. Ind. a
Ch. Sk.

Broken rough State land. Timber Beech,
Ash, Sugar, Elm, Oak & W. Spruce &c.

98.22 E. Connected between Sec. 11 & 14

4.40 a Sugar 20 in. dia.

22.20 a Red Oak 40 in. dia.

40.25 set of sec. post at aver. dist. from which
a Sugar 12 in. dia. bears S 55 W 60 yds. dist. &
a Beech 18 " " " N 68 E 50 " "

43.54 a Sugar 28 " "

64.61 a W. Elm 10 " "

80.50 to sec. cor.

South between Sec. 13 & 14

19.37 a R. Elm 24 in. dia.

27.00 enter Sugar camp

29.90 an Indian trace, NW

38.00 a Do NE

40.00 set of sec. post from which

a Beech 24 in. dia. bears S 79 W 35 yds. dist. &

a Sugar 20 " " " N 79 E 15 " "

49.38 a Sugar 10 in. dia. & leave Sugar camp

58.00 enter Swamp, E & W

60.50 leave "

64.40 a Red Oak 40 in. dia.

78.63 Intersect N. Boundary of J. B. Richardville's grant

N. 13, set post from which

a Beech 10 in. dia. bears N 28 W 50 yds. dist. &

a W. Oak 20 " " " N 13 E 62 " "

Measured along said line West 6.16 Ch. to the
NW corner of said grant.

Rolling State land. Timber Beech, Sugar, Ash,
Elm &c. W. Spruce &c. December 28, 1838

West in Random between Sec. 14 & 23

6.16 Intersect N. Boundary of J. B. Richardville's grant.

369

T. 27 N., R. 4 E., T. 2 Mer. Ind.?
Ch. 1. 1st.

N. 13, set temp. post
 24.50 over NE. side of field.
 42.70 over SE. side of field & enter Prairie, NW
 73.50 over E. side of field.
 80.45 Intersect N. 4 S. line 40 W. S. of post—
 Part broken 2^d rate land. Timber Oak &
 Part rich Prairie.

S. 89. 43 E. Connected between Sec. 14 & 23

40.22½ set of sec. post at aver. dist. from which
 a Hickory 18 in. diam bears N 74 W 62 W. dist. 2,
 a Do 12 " " " S 79 W 74 " "
 74.29 Intersect W. Boundary of J. B. Richardville's
 grant N. 13, set post from which
 a Beech 24 in. diam bears N 72 E 116 W. dist. 4
 a R. Oak 30 " " " N 80 W 288 " "
 Measured along said line to NW. corner of said
 grant, North 1.37 Ch.

West in Random between Sec. 23 & 26 N. 89. 43 W

0.10 Intersect W. Boundary of J. B. Richardville's
 grant N. 13
 53.75 Intersect E. Boundary of J. Godfrey's grant N. 12
 set post from which
 a lg. Ash 8 in. diam bears S 45 E 18 W. dist. 2,
 a Buckeye 10 " " " N 12 W 10 " "
 Measured along said line of Godfrey's grant
 North 27.56 Ch.
 Rich level bottom land. Timber Elm, Ash, Oak,
 Buckeye & Upr. Spice &

East blazed back between Sec. 23 & 26

0.55 a Bur Oak 46 in. diam.
 13.50 set of sec. post from which
 a Buckeye 6 in. diam bears N 4 W 7 W. dist. 2,
 a B. Walnut 24 " " " S 26 E 19 " "

T. 27 N., R. 4 E., 2^d Mer. Ind.^a
 Chas. C. Co.

14.38 an Elm 46 in. dia.
 21.37 a Buckeye 20 " "
 47.59 to W. Boundary of J. B. Richardville's grant N. 13,
 set post from which
 an Elm 3 in. dia. bears N 58 E 14 Ws. dist. 8
 a Buckeye 8 " " " S 84 W 28 " "
 Measured along said line South 20.78 Chs. to
 SW. corner of said grant. December 29, 1838

West on Random between Sec. 1 & 12

79.81 Intersect N & S. line 107 Ws. S. of post—
 Gently rolling State land. Timber Beech,
 Sugar, Ash, Elm & Wylr. Spice, Hawth.

S. 89.14 E. Connected between Sec. 1 & 12

5.15 a Beech 10 in. dia.
 32.27 a Do 16 " "
 39.90 1/2 set of sec. post at avcr. dist. from which
 a Beech 20 in. dia. bears N 73 W 8 Ws. dist. 2
 a Do 16 " " " N 69 E 30 " "
 45.27 a Sugar 30 " "
 60.05 a Gray Ash 28 in. dia.
 79.81 to sec. cor.

West on Random between Sec. 12 & 13

2.20 an Indian trace, N E
 40.80 enter Creek 20 Ws. wide curve SW
 47.50 leave "
 58.00 enter Sugar camp
 64.00 leave Do
 79.85 Intersect N & S. line 100 Ws. S. of post—
 Land &c. same as last described.

S. 89.15 E. Connected between Sec. 12 & 13

4.71 a Beech 13 in. dia.
 22.25 a Do 8 " "

T. 27 N., R. 4 E. 2^d. Mer. Ind.^a
 Chp. 9th?

39.92^h set of sec. post at aver. dist. from which
 a Beech 30 in. dia. bears N 6^h E 12^h Mer. dist. 2
 a Sugar 11 " " " S 45^h W 13 " "

40.22 a Beech 12 " "

62.05 a Do 16 " "

79.85 to sec. cor.

N 89.15^h W. between Secs. 13 & 24

5.44 a Gray Ash 30 in. dia.

C. 23 Intersect E. Boundary of J. B. Richardville's
 grant N^o 13, set post from which

a Buckeye 12 in. dia. bears N 54^h E 29^h Mer. dist. 2

a B. Walnut 4 " " " S 63^h W 30 " "

Measured along said line of grant N^o 13 to
 the N E. corner thereof North 2.70 Chp.

Broken 2^d rate land. Timber Beech, Sugar &
 Upr. Spice &c

N 89.15^h W. between Secs. 24 & 25

2.90 pass Road to Fort Wayne, S E

C. 27 Intersect E. Boundary of J. B. Richardville's
 grant N^o 13, set post from which

a Beech 10 in. dia. bears S 78^h E 13^h Mer. dist. 2

a Do 7 " " " N 4^h W 22 " "

Measured along said line of J. B. Richardville's
 survey N^o 13, South 80^h W. to the S E. & upper
 corner of same, in the right bank of Wabash
 River.

Level rich bottom. Timber Beech, Elm,
 Buckeye, Walnut &c. Upr. Pawpaw, P. Ash &c.
 December 31. 1838

Meanders of right bank of Wabash River.
 Beginning at post in E. Boundary, thence
 down the stream with the Meanders thereof.

T. 27 N., R. 4 E., 2.^d Mer. Ind.^a

Courses & Dist.	Remarks
N 42° W 6.87	In Sec. 25
N 47½° W 2.30	to the S.E. & upper corner of J. B. Richard- ville's survey N.º 13. Dec.º 31. 1838
Beginning at post, upper corner of J. Godfrey's grant N.º 12, thence up stream	
S 84° E 10.30	In Sec. 26
S 73¼° E 25.50	
N 52½° E 7.38	
N 35° E 10.75	
N 25° E 2.70	to S.W. & lower corner of J. B. Richard- ville's grant N.º 13, in right bank of Wa- bash River. December 29. 1838

The land in the northern part of this town-
ship is 2^d rate, and part of it broken bordering
on the Prairie.

The Prairie and Bottom is rich and 1.st rate
land. There are three or four squatters
settled near the North margin of the Prairie
and two near the Canal. The soil on the
timbered land is good from 6 to 8 inches deep.
The timber tall and heavy, except near
Prairie, where it is scarce.

I hereby certify that in pursuance of a
contract with Robert T. Lytle, Surveyor Gen-
eral of the United States for the States of Ohio,
Indiana and Michigan, bearing date the
10.th day of May 1838, and in strict conform-
ity with the laws of the United States and
the Instructions of said Surveyor General,
I have surveyed and subdivided into sections
fractional Township N.º 27 North of Range
N.º 4 East of the 2.^d Principal Meridian, in

T. 27 N., R. 4 E. 2. Mer. Ind.

the State of Indiana; And I do further certify that the foregoing are the true and original field notes of the said survey and subdivision, executed as aforesaid.

Certified this 31st day of December 1838

Arthur T. C. Vance, Dep. Surv.

John F. Sims

David ^{sr} Frazier } Chain carriers

John P. ^{marked} Johnson, Marker.

North between Sec. 34 & 35

11.40 a Beech 15 in. dia.

24.16 Intersect South Boundary of Grant N. 5, set post from which

a Beech 20 in. dia. bears N 71° E 13 Mer. dist. 3,

a Walnut 18 " " " S 55° W 48 " "

Measured S. 70 3/4° W. along said S. Boundary 44.06 Ch. to the SW. corner of said grant.

Measured from said SW. corner South along E. Boundary of Grant N. 7, 9.64 Ch. to Township line (S. Bound.) set post from which

a Beech 18 in. dia. bears N 50° E 46 Mer. dist. 3,

a Hickory - " " " N 11° W 47 " "

Measured along the Township line East 41.34 Ch. to corner of Sec. 34 & 35

Measured from the corner of Sec. 34 & 35

on Township line, East 57.70 Ch. to the SW. corner of Grant N. 6. September 11. 1839.

I hereby certify that in pursuance of a contract with C. S. Haines, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date the 20th day of April 1839, and in strict conformity with the laws of the United States and the Instructions of said Surveyor General,

T. 27 N., R. 4 E. 2^d Mer. Ind.^a

I have surveyed and subdivided into sections fractional Township N. 27 North, of Range N. 4 East of the 2^d Principal Meridian, in the State of Indiana; And I further certify that the foregoing are the true and original field Notes thereof.

Certified this 10th day of Sept. 1839
Chauncey Carter, Dep. Sur.

J. M. Keep } Chain carriers
John Burts }
Wm. T. Shave, Marker.

Corrections and Additions by C. Carter.
Meanders of South bank of Canal.

Commenced at the corner of Sec. 24 & 25, thence
on line of Richardville's Reservation

North 29.26 Ch. to the South bank of the Canal, set
post from which

an Elm 36 in. dia. bears S 27 41 W 69 1/2 M. dist. 3

a Buckeye 14 4 " " S 40 E 112 " "

Thence up the South bank of the Canal

N 80 1/2 E 6.38 Ch. to line of Ranges 4 & 5 E.

About equi-distant from these 2 corners
on the Canal is a Lock.

Meanders of Rear line of Canal lots.

Commenced on the East line of Richardville's Re-
servation, at the corner of Sec. 13 & 24, thence
South with East line of Richardville's Reservation

45.44 to the rear line of Canal lots, set post from which

a Buckeye 12 in. dia. bears N 42 E 110 1/2 M. dist. 3

a Do 12 " " " S 47 E 113 " "

Thence along the rear line of Canal lots

N 80 1/2 E 6.38 Ch. to the Range line.

Meanders of the South bank of the Canal in

T. 27 N., R. 4 E. 2^d Mer. Ind.

in Sec. 26, T. 27 N., R. 4 E.
Commenced at the S.E. corner of Sec. 26 on West
Boundary of Richardville's Reserve on the bank of
the Wabash River, thence:

North 7.06 Ch. to the South bank of Canal, set post from
which a Honey Locust 30 in. dia. bears S 88 E 117 W. dist.
& a Bur Oak 36 " " " S 23 W 127 " "
Thence down the South bank of the Canal as follows:

Courses Ch. & Dist.	Remarks.
S 47 3/4 W 2.75	In Sec. 26
S 49 W 1.00	
S 53 W 2.75	
S 54 W 2.50	
S 56 3/4 W 2.00	
S 63 1/4 W 1.80	
S 70 1/4 W 1.84	
S 77 1/4 W 1.70	
S 84 W 34.27	to the East line of Godfrey's Reservation, set post from which a Buckeye 14 in. dia. bears S 69 W 176 W. dist. & an Elm 20 " " " S 19 W 125 " " Thence
South 2.37 Ch. to the post on right bank of Wabash R.	
	SW. corner of Sec. 26

Meanders of the Rear line of Canal lots in Sec.
26, T. 27 N., R. 4 E. Commenced on the East
line of Godfrey's Reservation, at the line between Sec.
23 & 26, thence:

South 20.22 Ch. to the rear line of Canal lots, set post
from which
an Elm 36 in. dia. bears N 50 E 79 W. dist. &
a Sycamore 40 " " " S 23 E 154 " "
Thence up the rear line of Canal lots as follows:

N 84 E 34.00	In Sec. 26
N 74 E 2.10	

T. 27 N., R. 4 E. 2.^d Mer. Ind. a.

Courses Chs. Ecs.

Remarks.

N 55° E 3.50

N 51° E 4.00

N 47 1/4° E 7.75 to West line of Richardville's Reservation
set post from which

a Sugar 12 in. dia. bears N 29° W 4 1/2 M. dist. &

a Do 8 " " " S 62° E 25 " "

Thence measured North 5.95 Chs. to line of Sec.
23 & 26

Extension on Richardville's grant N. 13.
The Canal lots from N. 186 to 207 inclusive,
together with that part of Lots N. 185 & 208 which
are in this Reservation contain 45.33 Acres, which
is laid off on the North end of J. B. Richardville's
Reservation.

Commenced at the post at NW. corner of Rich-
ardville's Reservation, thence:

North 5.66 Chs. set post & established cor. from which

a Beech 20 in. dia. bears N 6° W 14 M. dist. &

a Sugar 28 " " " S 31° W 7 " " Thence

East on Random

6.13 Intersect line of Sec. 13 & 14

37.50 a Stream 30 M. wide from N.

80.03 Intersect the line extended from the NE. corner
of this Reservation at 5.32 Chs. North from the
corner, set post at 5.66 Chs. North from corner
from which

a Beech 20 in. dia. bears S 81° W 31 M. dist. &

a Do 18 " " " S 37° E 11 " "

West Returned on true line & set post on line of
Sec. 13 & 14 from which

a Beech 22 in. dia. bears N 33° W 6 M. dist. &

a Sugar 20 " " " S 29° E 45 " "

Extension of J. Godfrey's grant N. 12
 To ascertain the aggregate of the Canal lots I run
 the lines of the rear of the Canal lots and calculat-
 ed the contents of the lots and canal by latit-
 ude and departure, amounting to 55.20 Acres,
 and deducting 16 for the breadth of the canal
 leaves 40.00 Acres, to be laid off on the North
 end of this Reservation, as follows:

Commenced at the NE. corner post thence ex-
 tended

North 5.75 Ch. established corner set post from which
 a Bur Oak 20 in. dia. bears N 42 E 28 W. dist. 8
 an Elm 10 " " " S 77 W 9 " " Thence
 West on Random

8.00 a Stream 10 W. wide corner S.
 27.12 Intersect line of Sec. 22 & 23, set temp. post
 47.50 enter brushy Swamp
 75.00 leave Swamp & enter wet Prairie
 80.12 Intersect W. Boundary at 6.02 Ch. North of
 original NW. corner, set post at 5.75 Ch.
 from which

a Bur Oak 12 in. dia. bears S 49 E 181 W. dist. 8
 a Do 24 " " " N 71 E 352 " "

East Returned on true line & set post on line betw.
 Sec. 22 & 23 from which
 a Buckeye 10 in. dia. bears N 31 E 14 W. dist. 8
 a Beech 30 " " " S 80 W 18. " "
 All the foregoing lines run at a variation of
 6° 15' E.

It appears that the Canal lots were never
 laid off fully. I ascertain that before
 the canal was excavated the lines of the South
 boundaries were run and stakes set up, and
 the remainder of the surveys done on paper
 merely, and the excavating of the canal

T. 27 N., R. 4 E. 2. Mer. Ind^a

covered up or dug up all the stakes that had ever been set. I could devise no other mode of proceeding (except to run out the canal lots again) than to meander the tow path side of the canal accurately, and then lay the long courses on the rear of the line of canal lots exactly parallel to the tow path line, and to pass around the curves by a frequent measurement to the canal in order to preserve the proper distance, for it appears that variation from the original location of the canal have been made in some instances.

In tracing the Meridian lines on this reservation I find they are not all run at the same variation. I found $6^{\circ} 15'$ to be the medium as near as I could ascertain, and used that variation. I apprehend the work will not close well in consequence of this difference of variation of the Section lines
C. Carter, D.S.

I hereby certify that in pursuance of Instructions from the Surveyor General of the United States for the States of Ohio, Indiana and Michigan, and in strict conformity to the laws of the United States and the Instructions of said Surveyor General, I have surveyed and marked the lines herein before stated; And I do further certify that the foregoing are the true and original Field Notes thereof executed as aforesaid.

Chauncey Carter, Dep. Surv.
 J. M. P. Hand } Chain bearers
 (Absent at the time)
 W^m. Shaver, Marker.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 27
North, in Range N. 4 East of the 2.^d Princip-
al Meridian, in the State of Indiana, has
been compared with the original on file in
this office, and found to be correct.
Surveyor General's Office,
Cincinnati, Dec. 28, 1844.

William Johnston
Sur. Genl.